Land man

1647

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/431,843B

DATE: 07/06/2000

TIME: 13:04:59

Input Set : A:\13038.asc

RECEIVED JUL 12 2000 Output Set: N:\CRF3\07062000\I431843B.raw 4 <110> APPLICANT: Zagon S., Ian TECH CENTER 1600/2900 Verderame, Michael Allen, Sandra McLaughlin J., Patricia <120> TITLE OF INVENTION: NOVEL NUCLEIC ACID MOLECULES ENCODING OPIOID GROWTH 1.0 FACTOR RECEPTORS 12 <130> FILE REFERENCE: Penn State 14 <140> CURRENT APPLICATION NUMBER: 09/431,843B 15 <141> CURRENT FILING DATE: 1999-11-02 ENTERED 17 <160> NUMBER OF SEQ ID NOS: 18 19 <170> SOFTWARE: PatentIn Ver. 2.1 21 <210> SEQ ID NO: 1 22 <211> LENGTH: 2250 23 <212> TYPE: DNA 24 <213> ORGANISM: Rattus norvegicus 26 <400> SEOUENCE: 1 27 tgggctcagc cacgccccag ggtgccccca gtgggactag ttcttcattc tggcagctgc 60 29 acacatetgt cagtgaggga atgtcaggte teteaetete eteteeteae tateetttee 120 31 gcagaaageg ggteeteetg ettgtegagt atggaegaee eggaetgega tteeaeetgg 180 33 gaggaggaga gegaggagga tggegaggat ggeeaggegg atgataegae egatgaggae 240

35 acgggcgacg atgacggcga cgcggaggag gcacggccaa gcctgttcca gtccaggatg 300 37 acagggtacc gaaactggeg tgctatgcag gacatgcaaa gataccggca caactacccg 360 39 gatttgacag atcaagactg caatggtgac atgtgcaacc tgagcttcta caaaaatgag 420 41 atotgottoe agocaaatgg ggototoato gaggacatto ttoagaactg gaaagacaac 480 43 tatgacetee tggaagagaa teacteetae atceagtgge tgttteetet gegggaacea 540 45 ggagtgaact ggcacgccaa gcccctcacc ctgaaggagg ttgaggcatt taaaagctcc 600 47 aaggaagtca gagagcgtct tgtccgggcc tatgagctca tgctgggctt ctatgggttc 660 49 cacettgagg accggggcae gggtgetgta tgeegtgeae agaaetteea geegegette 720 51 cacaatotga acagocacag coacaacaac otgogtatta cacgoatoot caagtoactg 780 53 ggtgagctgg gcttagaaca ctaccaggca cocctggtcc gcttcttcct ggaggagacc 840 55 cttgtacage acaaactgee cagegtgege cagagtgeee tggaetaett cetgtteget 900 57 gtgcgctgcc ggcaccagcg ccgggagctt gtgtactttg cctgggagca cttcaagcct 960 59 cgccgagagt ttgtctgggg gccccgtgac aagctgcgga gattcaagcc ccagaccata 1020 61 coccagocae tgacgggace agggcaggca gataaagatg agggetecag ggacceetee 1080 63 caagaggetg geacceaggg teggaeetgt ggatetggaa gggaeetgag tggggaeagt 1140 65 ggaacagetg aggatecete actgetgaac acaaageeet eagatggggg aacettggat 1200 67 gggaaccaga gggatgaagc taagtccctg agtcccaagg agagcaagaa aaggaagttg 1260 69 gaggggaaca ggcaggagca ggtcccaggg gaggcagatc cccagggtgt ctctgaggta 1320 71 gagaaaattg cccttaacct tgaggagtgt gcccttagcc ctatcagcca ggagcccagg 1380 73 gaggetgaac egecetgtee tgtggeeagg gtggetaatg aggtaagaaa geggaggaag 1440 75 gtggaggaag gggctgaggg tgatggagta gtcagtaaca ctcaaatgca ggccagtgcc 1500 77 ctgcctccta ccccttcaga gtgtcctgag gcccaaaagg atgggaatgg gccagaggac 1560 79 tcaaacagcc aggttggggc agaggattcc aaaagccagg tggggccgga ggatccaaac 1620 81 agccaggtgg ggctggagga cccaaacagc caggtcgggc cagaggaccc aaacagccag 1680

Input Set : A:\13038.asc

Output Set: N:\CRF3\07062000\I431843B.raw

89 attgaggeet etgetgaace eccaaageet tagaggtgea teteagteet aeteageeea 1920 91 etgeaggggg titetgagte eagagetetg eegtaggete tiettggtge eeeaeagtge 1980 93 tggcctctcc ctagtggtca ctgaggtggc caccagaggg actgaggccc tgccctcagg 2040 95 gaaggccaag geetteagaa eeeteettae eteaetgtgt eeteeteeae tgeeetetga 2100 97 gccctgcgtt gtgatcagac cctaagggtc tagagggagg ggcctcttca ttagtctggt 2160 99 gccaagtgag gccttttctg aataaactct ttagactttg tcaaaaaaaa aaaaaaaaa 2220 101 aaaaaaaaa aaaaaaaaaa aaaaaaaaaa 105 <210> SEQ ID NO: 2 106 <211> LENGTH: 580 107 <212> TYPE: PRT 108 <213> ORGANISM: Rattus norvegicus 110 <400> SEQUENCE: 2 111 Met Asp Asp Pro Asp Cys Asp Ser Thr Trp Glu Glu Glu Ser Glu Glu 112 1 5 10 10 15 114 Asp Gly Glu Asp Gly Gln Ala Asp Asp Thr Thr Asp Glu Asp Thr Gly 115 20 25 30117 Asp Asp Asp Gly Asp Ala Glu Glu Ala Arg Pro Ser Leu Phe Gln Ser 118 $$ 35 $$ 40 $$ 45 120 Arg Met Thr Gly Tyr Arg Asn Trp Arg Ala Met Gln Asp Met Gln Arg 121 55 60 123 Tyr Arg His Asn Tyr Pro Asp Leu Thr Asp Gln Asp Cys Asn Gly Asp 124 $\,$ 65 $\,$ 70 $\,$ 75 $\,$ 80 126 Met Cys Asn Leu Ser Phe Tyr Lys Asn Glu Ile Cys Phe Gln Pro Asn 127 95 129 Gly Ala Leu Ile Glu Asp Ile Leu Gln Asn Trp Lys Asp Asn Tyr Asp 130 100 105 110 132 Leu Leu Glu Glu Asn His Ser Tyr Ile Gln Trp Leu Phe Pro Leu Arg 133 115 120 125 135 Glu Pro Gly Val Asn Trp His Ala Lys Pro Leu Thr Leu Lys Glu Val 136 130 135 140 138 Glu Ala Phe Lys Ser Ser Lys Glu Val Arg Glu Arg Leu Val Arg Ala 139 145 150 155 160 141 Tyr Glu Leu Met Leu Gly Phe Tyr Gly Phe His Leu Glu Asp Arg Gly 142 165 170 175 144 Thr Gly Ala Val Cys Arg Ala Gln Asn Phe Gln Pro Arg Phe His Asn 145 $$ 180 $$ 185 $$ 190 $$ 147 Leu Asn Ser His Ser His Asn Asn Leu Arg Ile Thr Arg Ile Leu Lys 148 195 200 205 150 Ser Leu Gly Glu Leu Gly Leu Glu His Tyr Gln Ala Pro Leu Val Arg 151 210 215 220 151 Phe Phe Leu Glu Glu Thr Leu Val Gln His Lys Leu Pro Ser Val Arg
154 225 230 235 240
156 Gln Ser Ala Leu Asp Tyr Phe Leu Phe Ala Val Arg Cys Arg His Gln
157 245 255 159 Arg Arg Glu Leu Val Tyr Phe Ala Trp Glu His Phe Lys Pro Arg Arg 160 265 270 162 Glu Phe Val Trp Gly Pro Arg Asp Lys Leu Arg Arg Phe Lys Pro Gln 163 275 280 285 165 Thr Ile Pro Gln Pro Leu Thr Gly Pro Gly Gln Ala Asp Lys Asp Glu

Input Set : A:\13038.asc

Output Set: N:\CRF3\07062000\I431843B.raw

290 168 Gly Ser Arg Asp Pro Ser Gln Glu Ala Gly Thr Gln Gly Arg Thr Cys 169 305 310 315 320 171 Gly Ser Gly Arg Asp Leu Ser Gly Asp Ser Gly Thr Ala Glu Asp Pro 172 325 330 335 174 Ser Leu Leu Asn Thr Lys Pro Ser Asp Gly Gly Thr Leu Asp Gly Asn 175 340 345 350 177 Gln Arg Asp Glu Ala Lys Ser Leu Ser Pro Lys Glu Ser Lys Lys Arg 178 355365 180 Lys Leu Glu Gly Asn Arg Gln Glu Gln Val Pro Gly Glu Ala Asp Pro 181 370 375 380 183 Gln Gly Val Ser Glu Val Glu Lys Ile Ala Leu Asn Leu Glu Glu Cys 184 385 390 395 400 186 Ala Leu Ser Pro Ile Ser Gln Glu Pro Arg Glu Ala Glu Pro Pro Cys 187 405 410 415 189 Pro Val Ala Arg Val Ala Asn Glu Val Arg Lys Arg Arg Lys Val Glu 190 420 425 430 192 Glu Gly Ala Glu Gly Asp Gly Val Val Ser Asn Thr Gln Met Gln Ala 193 435 440 445 195 Ser Ala Leu Pro Pro Thr Pro Ser Glu Cys Pro Glu Ala Gln Lys Asp 196 450 455 460 198 Gly Asn Gly Pro Glu Asp Ser Asn Ser Gln Val Gly Ala Glu Asp Ser 199 465 470 475 480 201 Lys Ser Gln Val Gly Pro Glu Asp Pro Asn Ser Gln Val Gly Leu Glu 202 485 490 495 204 Asp Pro Asn Ser Gln Val Gly Pro Glu Asp Pro Asn Ser Gln Val Gly 205 500 505 510 207 Pro Glu Asp Pro Asn Ser Gln Val Gly Pro Glu Asp Pro Asn Ser Gln 208 515 520 525 525 525 535 540 213 Ala Ser Lys Ser Pro Val Glu Asp Pro Asp Ser Asp Thr Met Gly Thr 214 545 550 556 560 216 Ser Val Asp Glu Ser Glu Glu Leu Ala Arg Ile Glu Ala Ser Ala Glu 217 565 570 575 219 Pro Pro Lys Pro 220 580 223 <210> SEQ ID NO: 3 224 <211> LENGTH: 987 225 <212> TYPE: DNA 226 <213> ORGANISM: Rattus norvegicus 228 <220> FEATURE: 229 <221> NAME/KEY: unsure 230 <222> LOCATION: (164) 231 <223> OTHER INFORMATION: n is unsure 233 <220> FEATURE: 234 <221> NAME/KEY: unsure 235 <222> LOCATION: (179) 236 <223> OTHER INFORMATION: n is unsure

HECENTER 1

Input Set : A:\13038.asc

Output Set: N:\CRF3\07062000\I431843B.raw

```
238 <220> FEATURE:
     239 <221> NAME/KEY: unsure
     240 <222> LOCATION: (184)
     241 <223> OTHER INFORMATION: n is unsure
     243 <220> FEATURE:
     244 <221> NAME/KEY: unsure
     245 <222> LOCATION: (213)
     246 <223> OTHER INFORMATION: n is unsure
     248 <220> FEATURE:
     249 <221> NAME/KEY: unsure
     250 <222> LOCATION: (240)
     251 <223> OTHER INFORMATION: n is unsure
     253 <220> FEATURE:
     254 <221> NAME/KEY: unsure
     255 <222> LOCATION: (555)
     256 <223> OTHER INFORMATION: n is unsure
     258 <220> FEATURE:
     259 <221> NAME/KEY: unsure
     260 <222> LOCATION: (622)
     261 <223> OTHER INFORMATION: n is unsure
     263 <400> SEQUENCE: 3
     264 cattgggccg acgtcgcatg ctcctctaga ctcgaggaat tcgggcccca gggtgtctct 60
     266 gaggtagaga aaattgccct taaccttgag gagtgtgccc ttagccctat cagccaggag 120
W--> 268 cccagggagg stgaaccgcc ctgtcctgtg gccagggtgg ctanaatgag gtaagaaang/180
W--> 270 cggnaggaag gtggaggaag gggctgaggg tgnatqgagt agtcagtaac actyaaatgn 240
272 caggccagtg ccctgcctcc taccccttca gagtgtcctg aggcccaaaa ggatgggaat 300
     274 gggccagagg actcaaacag ccaggttggg gcagaggatt ccaaaagcca ggtggggccg 360
     276 gaggatccaa acagccaggt ggggctggag gacccaaaca gccaggtcgg gccagaggac 420
     278 ccaaacagcc aggtegggcc agaggaccca aacagccagg tegggecaga ggacccaaac 480
     280 agccaggtcg ggccagagga cccaaacagc caggtggtgg ggccagagca agctgcctct 540
W--> 282 <u>aagageectg tgganggace etgactetga cactatggga accteagtgg atgagteaga</u> 600
W--> 284 ggagttggca aggattgagg cntytgctga_acccccaaag ccttagaggt gcatttcagt 660_
     286 cctactcage coactgoagg gggtttctga gtccagaget etgccgtagg etettettgg 720
288 tgccccacag tgctggccte tccctastgg tcactgaggt ggccaccaga gggactgagg 780
290 ccctgcccte agggaaggce aaggcettca gaaccetect tacetcactg tgtcctcete 840
     292\ {\tt cactgccctc}\ {\tt tgagccctgc}\ {\tt gttgtgatca}\ {\tt gaccctaagg}\ {\tt gtctagaggg}\ {\tt aggggcctct}\ 900
     294 tcattagtct ggtgccaagt gaggcctttt ctgaataaac tctttagact ttgtcaaaaa 960
     296 aaaaaaaaa aaaaaaaaa aaaaaaa
     300 <210> SEQ ID NO: 4
     301 <211> LENGTH: 2290
     302 <212> TYPE: DNA
     303 <213> ORGANISM: Homo sapiens
     305 <400> SEQUENCE: 4
     306 tagaatteag eggeegetga attetageeg ageatggaeg acceegactg egacteeace 60
     308 tgggaggagg acgaggagga tgcggaggac gcggaggacg aggactgcga ggacggcgag 120
     310 gccgccggcg cgagggacgc ggacgcaggg gacgaggacg aggagtcgga ggagccgcgg 180
     312 gcggcgcggc ccagctcgtt ccagtccaga atgacagggt ccagaaactg gcgagccacg 240
     314 agggacatgt gtaggtatcg gcacaactat ccggatctgg tggaacgaga ctgcaatggg 300
     316 gacacgccaa acctgagttt ctacagaaat gagatccgct tcctgcccaa cggctgtttc 360
```

Input Set : A:\13038.asc

Output Set: N:\CRF3\07062000\I431843B.raw

318 attgaggaca ttcttcagaa ctggacggac aactatgacc tccttgagga caatcactcc 420 320 tacatccagt ggctgtttcc tctgcgagaa ccaggagtga actggcatgc caagcccctc 480 322 acgeteaggg aggtegaggt gtttaaaage teccaggaga tecaggageg gettgteegg 540 324 gcctacgagc tcatgctggg cttctacggg atccggctgg aggaccgagg cacgggcacg 600 326 gtqqqccqaq cacaqaacta ccaqaaqcqc ttccaqaacc tqaactqqcq caqccacaac 660 328 aacctccgca tcacacgcat cctcaagtcg ccgtgtgagc tgagcctcga gcacttccag 720 330 gegecactgg teegettett eetggaggag aegetggtge ggegggaget geegggggtg 780 332 eggeagagtg ceetggacta etteatgtte geegtgeget geegacaeca gegeegeeag 840 334 etggtgcact tegeetggga geaetteegg eeeegetgea agttegtetg ggggeeeeaa 900 336 gacaagetge ggaggtteaa geeeagetet etgeeeeate egetegaggg etecaggaag 960 338 gtggaggagg aaggaagccc cggggacccc gaccacgagg ccagcaccca gggtcggacc 1020 340 tgtgggccag agcatagcaa gggtgggggc agggtggacg aggggcccca gccacggagc 1080 342 gtggagccc aggatgoggg accctggag aggagccagg gggatgaggc agggggccac 1140 344 ggggaagata ggccggagcc cttaagcccc aaagagagca agaagaggaa gctggagctg 1200 346 agccqqcqqq aqcaqccqcc cacaqaqcca qqccctcaqa qtqcctcaqa qgtqqaqaaq 1260 348 atcgctctga atttggaggg gtgtgccctc agccagggca gcctcaggac ggggacccag 1320 350 gaagtgggeg gtcaggaccc tggggaggca gtgcagccct gccgccaacc cctgggagcc 1380 352 agggtggccg acaaggtgag gaagcggagg aaggtggatg agggtgctgg ggacagtgct 1440 354 geggtggeea gtggtggtgc ceagacettg gecettgeeg ggteeeetge eceategggg 1500 356 caccccaagg ctggacacag tgagaacggg gttgaggagg acacagaagg tcgaacgggg 1560 358 cccaaagaag gtacccctgg gagcccatcg gagaccccag gccccagccc agcaggacct 1620 360 gcaggggacg agccagccga gagcccatcg gagaccccag gcccccgccc ggcaggacct 1680 362 graggggarg agreagerga gagrerateg gagarerrag gereragere ggraggaret 1740 364 acaagggatg agccageega gageccateg gagaceecag geceeegeee ggcaggacet 1800 366 gcaggggacg agccagccga gagcccatcg gagaccccag gcccccgccc ggcaggacct 1860 368 gcaggggacg agccagccga gagcccatcg gagaccccag gccccagccc ggcaggacct 1920 370 acaagggatg agccagccaa ggcgggggag gcagcagagt tgcagkacgc agaggtggag 1980 372 tettetgeca agtetgggaa geettaagga aaggagtgee egteggegte ttggteetee 2040 374 tgtccctgct gcaggggctg gggcctccgg agcttgctgc gggctcccct caggctctgc 2100 376 ttegtgaece gtgaeceatg acceaeagtg etggeeteet gtggggeeae tatagearse 2160 378 accagaagee gegaggeeet cagggaagee caaggeetge agaageetee tggeetgget 2220 380 gtgtcttccc cacccagctc teccetgege ecetgtcttt gtaaattgac cettetggag 2280 382 tggggggcgg 2290 386 <210> SEQ ID NO: 5 387 <211> LENGTH: 2408 388 <212> TYPE: DNA 389 <213> ORGANISM: Homo sapiens 391 <400> SEOUENCE: 5 392 tagaattcag eggeegetga attetageeg ageatggaeg acceegaetg egaeteeace 60 394 tgggaggagg acgaggagga tgcggaggac gcggaggacg aggactgcga ggacggcgag 120 396 gccgccggcg cgagggacgc ggacgcaggg gacgaggacg aggagtcgga ggagccgcgg 180 398 gcggcgcgc ccagctcgtt ccagtccaga atgacagggt ccagaaactg gcgagccacg 240 400 agggacatgt gtaggtatcg gcacaactat ccggatctgg tggaacgaga ctgcaatggg 300 402 gacacgccaa acctgagttt ctacagaaat gagatccgct teetgeecaa eggetgttte 360 404 attgaggaca ttcttcagaa ctggacggac aactatgacc tccttgagga caatcactcc 420 406 tacatocagt ggctgtttcc tctgcgagaa ccaggagtga actggcatgc caagcccctc 480 408 acgeteaggg aggtegaggt gtttaaaage teecaggaga teeaggageg gettgteegg 540 410 gcctacqaqc tcatqctqqq cttctacqqq atccqqctqq aqqaccqaqq cacqqqcacq 600 412 gtgggccgag cacagaacta ccagaagcgc ttccagaacc tgaactggcg cagccacaac 660

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

DATE: 07/06/2000 TIME: 13:05:00 VERIFICATION SUMMARY PATENT APPLICATION: US/09/431,843B

Input Set : A:\13038.asc
Output Set: N:\CRF3\07062000\I431843B.raw

L:268 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 L:270 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 L:282 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 L:284 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 L:1227 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13